

September 12, 2018


PREPARED FOR FARMACY BLISS

Order No. 501801
Sample No. 1008196

SAMPLE INFORMATION

Description CEN-HC-18229
Category (Type) Concentrate
Sampling Received From Client
Received August 21, 2018

ANALYTICAL RESULTS

Analysis Heavy Metals Screen  Pass
Instrument ICP-MS
Analysis Date August 21, 2018 to September 12, 2018

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	0.2	Pass
Cadmium	0.02/0.05	ND	0.2	Pass
Lead	0.02/0.05	0.05	0.5	Pass
Mercury	0.02/0.05	0.08	0.1	Pass

Reported by
Anresco, Inc.

ND = None Detected
BLOQ = Below Limit of Quantitation



Cynthia Kushi
Lab Co Director

September 12, 2018

PREPARED FOR FARMACY BLISS

Order No. 501933
Sample No. 1008702

SAMPLE INFORMATION

Description 9-1-18-Organic-Master Batch
Category (Type) Concentrate
Sampling Received From Client
Received September 04, 2018

ANALYTICAL RESULTS

Analysis Date September 04, 2018 to September 12, 2018

Findings	Analysis	Results	Method
	Salmonella	Negative/1g	AOAC 2013.09 - 3M MDS
	STEC	Negative/1g	EC Mug
	Aspergillus Fumigatus	Negative/1g	Aspergillus Isolation Agar
	Aspergillus Flavus	Negative/1g	Aspergillus Isolation Agar
	Aspergillus Niger	Negative/1g	Aspergillus Isolation Agar
	Aspergillus Terreus	Negative/1g	Aspergillus Isolation Agar

Reported by
Anresco, Inc.


Laila Lam
Microbiologist



If there are any questions with this report, please contact "iso@anresco.com".

page 1 of 1

September 12, 2018

PREPARED FOR FARMACY BLISS

Order No. 501933
 Sample No. 1008702

SAMPLE INFORMATION

Description 9-1-18-Organic-Master Batch
Category (Type) Concentrate
Sampling Received From Client
Received September 04, 2018

ANALYTICAL RESULTS

Analysis Pesticide Residue Screen ✔ Pass
Instrument Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)
Method QuEChERS, AOAC Official Method 2007.01 with modification
Analysis Date September 04, 2018 to September 12, 2018

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Abamectin	0.04/0.10	ND	0.1	Pass
Acephate	0.04/0.10	ND	0.1	Pass
Acequinocyl	0.04/0.10	ND	0.1	Pass
Acetamiprid	0.04/0.10	ND	0.1	Pass
Aldicarb	0.04/0.10	ND	0.0	Pass
Azoxystrobin	0.04/0.10	ND	0.1	Pass
Bifenazate	0.04/0.10	ND	0.1	Pass
Bifenthrin	0.20/0.50	ND	3.0	Pass
Boscalid	0.04/0.10	ND	0.1	Pass
Captan	0.25/0.70	ND	0.7	Pass
Carbaryl	0.20/0.50	ND	0.5	Pass
Carbofuran	0.04/0.10	ND	0.0	Pass
Chlorantraniliprole	0.04/0.10	ND	10.0	Pass
Chlordane	0.04/0.10	ND	0.0	Pass
Chlorfenapyr	0.04/0.10	ND	0.0	Pass
Chlorpyrifos	0.04/0.10	ND	0.0	Pass
Clofentezine	0.04/0.10	ND	0.1	Pass
Coumaphos	0.04/0.10	ND	0.0	Pass
Cyfluthrin	0.70/2.00	ND	2.0	Pass
Cypermethrin	0.35/1.00	ND	1.0	Pass
Daminozide	0.04/0.10	ND	0.0	Pass
DDVP (Dichlorovous)	0.04/0.10	ND	0.0	Pass
Diazinon	0.04/0.10	ND	0.1	Pass
Dimethoate	0.04/0.10	ND	0.0	Pass
Dimethomorph	0.04/0.10	ND	2.0	Pass
Ethoprop(hos)	0.04/0.10	ND	0.0	Pass
Etofenprox	0.04/0.10	ND	0.0	Pass
Etoxazole	0.04/0.10	ND	0.1	Pass
Fenhexamid	0.04/0.10	ND	0.1	Pass
Fenoxycarb	0.04/0.10	ND	0.0	Pass
Fenpyroximate	0.04/0.10	ND	0.1	Pass
Fipronil	0.04/0.10	ND	0.0	Pass

If there are any questions with this report, please contact "iso@anresco.com".

page 1 of 2

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Flonicamid	0.04/0.10	ND	0.1	Pass
Fludioxanil	0.04/0.10	ND	0.1	Pass
Hexythiazox	0.04/0.10	ND	0.1	Pass
Imazalil	0.04/0.10	ND	0.0	Pass
Imidacloprid	0.04/0.10	ND	5.0	Pass
Kresoxim Methyl	0.04/0.10	ND	0.1	Pass
Malathion	0.20/0.50	ND	0.5	Pass
Metalaxyl	0.04/0.10	ND	2.0	Pass
Methiocarb	0.04/0.10	ND	0.0	Pass
Methomyl	0.04/1.00	ND	1.0	Pass
Methyl parathion	0.04/0.10	ND	0.0	Pass
Mevinphos	0.04/0.10	ND	0.0	Pass
Myclobutanil	0.04/0.10	ND	0.1	Pass
Naled	0.50/1.50	ND	0.1	Pass
Oxamyl	0.20/0.50	ND	0.5	Pass
Paclobutrazol	0.04/0.10	ND	0.0	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.1	Pass
Permethrins	0.20/0.50	ND	0.5	Pass
Phosmet	0.04/0.10	ND	0.1	Pass
Piperonyl Butoxide	0.04/0.10	ND	3.0	Pass
Prallethrin	0.50/1.50	ND	0.1	Pass
Propiconazole	0.04/0.10	ND	0.1	Pass
Propoxur	0.04/0.10	ND	0.0	Pass
Pyrethrins	0.20/0.50	ND	0.5	Pass
Pyridaben	0.04/0.10	ND	0.1	Pass
Spinetoram	0.04/0.10	ND	0.1	Pass
Spinosad	0.04/0.10	ND	0.1	Pass
Spiromesifen	0.04/0.10	ND	0.1	Pass
Spirotetramat	0.04/0.10	ND	0.1	Pass
Spiroxamine	0.04/0.10	ND	0.0	Pass
Tebuconazole	0.04/0.10	ND	0.1	Pass
Thiacloprid	0.04/0.10	ND	0.0	Pass
Thiamethoxam	0.35/1.00	ND	5.0	Pass
Trifloxystrobin	0.04/0.10	ND	0.1	Pass

Reported by
Anresco, Inc.

ND = None Detected
 BLOQ = Below Limit of Quantitation




Eric Tam
 Senior Chemist

If there are any questions with this report, please contact "iso@anresco.com".

page 2 of 2

September 11, 2018

PREPARED FOR FARMACY BLISS

Order No. 501933
Sample No. 1008702

SAMPLE INFORMATION

Description 9-1-18-Organic-Master Batch
Category (Type) Concentrate
Sampling Received From Client
Received September 04, 2018



ANALYTICAL RESULTS

Analysis Residual Solvent Screen Pass
Instrument Gas Chromatography Mass Spectrometry (GC/MS)
Method USP OVI<467>
Analysis Date September 04, 2018 to September 11, 2018

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
1,2-Dichloroethane	0.40/1.00	ND	0.0	Pass
Acetone	17/75	ND	3100	Pass
Acetonitrile	1/6	ND	6	Pass
Benzene	0.40/1.00	ND	0.0	Pass
n-Butane	200/600	ND	5000	Pass
Chloroform	0.40/1.00	ND	0.0	Pass
Ethanol	22/100	ND	5000	Pass
Ethyl Acetate	9/40	ND	5000	Pass
Ethyl Ether	11/50	ND	5000	Pass
Ethylene Oxide	0.40/1.00	ND	0.0	Pass
n-Heptane	11/50	ND	5000	Pass
n-Hexane	1/5	ND	70	Pass
Isopropyl Alcohol	11/50	ND	320	Pass
Methanol	6/25	ND	400	Pass
Methylene Chloride	0.40/1.00	ND	0.0	Pass
n-Pentane	17/75	ND	5000	Pass
Propane	125/250	ND	5000	Pass
Toluene	3/15	ND	30	Pass
Total Xylenes	1/3	ND	10	Pass
Trichloroethylene	0.40/1.00	ND	0.0	Pass

Reported by
Anresco, Inc.

ND = None Detected
BLOQ = Below Limit of Quantitation

Jason Wong
Analyst

If there are any questions with this report, please contact "iso@anresco.com".

page 1 of 1



This report cannot be used for OHA or OLCC compliance requirements.

Product identity: 1803023
Laboratory ID: 18-010557-0006

Client/Metric ID: .
Sample Date:

Summary

Potency:

Analyte	Result (%)		
CBD	5.63	<ul style="list-style-type: none"> ● CBD ● CBC ● Δ9-THC 	
CBC†	0.413		
Δ9-THC	0.118		
			CBD-Total 5.63% ----- THC-Total < 0.187% (Reported in percent of total sample)

Microbiology:

Less than LOQ for all analytes.




This report cannot be used for OHA or OLCC compliance requirements.

Customer: Prepared for Farmacy Bliss

Product identity: 1803023
Client/Metric ID: .
Sample Date:
Laboratory ID: 18-010557-0006
Relinquished by: Received By Mail
Temp: 20.8 °C
Weight Received: 2 g

Sample Results

Potency	Method J AOAC 2015 V98-6			Units %	Batch 1807402	Analyze 11/26/18 10:11 AM
Analyte	As Received	Dry weight	LOQ	Notes		
CBC [†]	0.413		0.100			
CBC-A [†]	< LOQ		0.100			
CBC-Total [†]	0.413		0.188			
CBD	5.63		0.100			
CBD-A	< LOQ		0.100			
CBD-Total	5.63		0.188			
CBDV [†]	< LOQ		0.100			
CBDV-A [†]	< LOQ		0.100			
CBDV-Total [†]	< LOQ		0.187			
CBG [†]	< LOQ		0.100			
CBG-A [†]	< LOQ		0.100			
CBG-Total [†]	< LOQ		0.188			
CBL [†]	< LOQ		0.100			
CBN	< LOQ		0.100			
Δ8-THC [†]	< LOQ		0.100			
Δ9-THC	0.118		0.100			
THC-A	< LOQ		0.100			
THC-Total	< LOQ		0.187			
THCV [†]	< LOQ		0.100			
THCV-A [†]	< LOQ		0.100			
THCV-Total [†]	< LOQ		0.187			



- CBD
- CBC
- Δ9-THC

Microbiology								
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Notes
Salmonella spp.	Negative		/g		1807371	11/22/18	AOAC RI 050701	
E. coli O157:H7	Negative		/g		1807382	11/21/18	AOAC RI 070801	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



This report cannot be used for OHA or OLCC compliance requirements.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Units of Measure

g = Gram

/g = Per gram

% = Percentage of sample

% wt = $\mu\text{g/g}$ divided by 10,000

Approved Signatory

Derrick Tanner
General Manager